

Every Door Needs One.....

EVERITE

HARDWARE FITTINGS
SINCE 1957





Government of India
Ministry of Micro, Small and Medium Enterprises



Government of India
Ministry of Micro, Small and Medium Enterprises

Udyam Registration Number : UDYAM-GU-11-0000613

Name of Enterprise	MS-33
Type of Organisation	Proprietorship
Owner Name	RAJ SHARMA (PAN: RST)
Is it a new venture?	No
Established on	2018-01-01
Activity	Food
Date of Commencement	10/01/2018
Major Activity	Manufacturing
State of Enterprise	GUJARAT
Pin	387101
State Code	37
Is it a new venture?	No
Date of Commencement	10/01/2018



BUREAU OF INDIAN STANDARDS
Attachment to Licence No. CML-610008907

CML No.	610008907
Name of the Licensee with the Factory Address	Shri. Suresh Kumar A. Industrial Area, Dab Malpur, Gandhinagar, Gandhinagar
Name of the Product	Automatically Regulated Power Supply Unit
Indian Standard No.	IS 1565 : 1985

Endorsement No. 9 Dated 31 Oct. 2024



BUREAU OF INDIAN STANDARDS
Attachment to Licence No. CML-4332875

CML No.	4332875
Name of the Licensee with the Factory Address	Shri. Suresh Kumar P. Industrial Area, Gandhinagar, Gandhinagar
Name of the Product	Power Supply Unit Regulated for Power Supply
Indian Standard No.	IS 1565 : 1985

Endorsement No. 25 Dated 28 Jan. 2025



We are proud to have been the first manufacturer of hydraulic door closers in India since 1957 and we feel proud to be one of the founder member to frame "Manual" for ISI Marked hydraulic Door Closers and Locks.

We expanded our product line to include floor springs in 1972 and hardware fittings and locks in 1982. Our dedicated research and development team consistently introduces innovative hardware products to our offerings.

As an ISI certified, MSME registered, and women owned enterprise, We operate four production units in the Industrial area and adhere to all industrial norms.

With offices across India, Everite is a leading manufacturer and supplier of comprehensive hardware solutions catering to diverse projects nationwide.

Our comprehensive range of hardware fittings encompasses:

- Door Closers
- Floor Springs
- Locks and Handles
- Stainless Steel Fittings
- Brass Fittings
- Aluminum Fittings
- Windows and Facade Hardware
- UPVC Fittings
- Glass Fittings
- Panic Bars

With our extensive experience in the hardware Industry, our dedicated team is committed to providing exceptional quality products at competitive prices.

At Everite, Our dedicated team enable us to achieve substantial daily production of hardware products for various projects on time. We are renowned for our unwavering commitment to quality, production, and exceptional services.

At Everite, we prioritize timely delivery. Our efficient processes and dedicated team ensure that your orders reach you promptly, every time.

We are known for our customization capabilities, We tailor our products to meet the specific requirements of our clients, ensuring their satisfaction.

From the desk of
Rameet Kaur
Director

INDEX

	Page No.		Page No.
-Main Door Lock	1	-Z hinge for UPVC Doors	71
-Tribolt 'Trident'	2	-Sliding Window latch Concealed (with Manual Lock)	72
-Rim Latch 'Agastia'	2	-Domal Handle Marigold	72
-Rim Latch 'Amro'	2	-Sliding Window Latch Concealed 7"	73
-10" Pin Cylindrical Lock	3	-Sliding Window Latch concealed 4"	73
-10" Pin Cylindrical Lock PVD	3	-Z Handle (light)	74
-Pin Cylindrical 10" Bullet	4	-Z Handle with Push Button	74
-10" Pin Cylindrical Roller Latch Body	4	-Brass Fittings	75
-8" Pin Cylindrical Lock	5	-Brass Railway Butt Hinges Self lubricated	76
-10" Pin Cylindrical Lock for Double Lock	5	-Brass Butt Hinges	77
-Brass Mortice Lock	6	-Brass Cut Type Hinges	77
-Brass Baby Latch	6	-Brass Bearing Hinges with Doom / Flat Top (4 Bearings)	78
-Brass Pin Cylindrical Dead Lock	6	-Brass parliament Hinges	78
-Brass cylinders	7	-Brass Tower Bolt 1mm (8mm)	79
-Brass Entrance Lock 4"	8	-Brass Tower Bolt 1.5mm (9mm)	79
-Brass Mini Entrance Lock 3"	8	-Brass Tower Bolt 1.5mm (9.5mm)	80
-MS Entrance Lock 3" & 4"	8	-Brass Tower Bolt 2mm (10mm)	80
-Brass Sliding Lock Mini 3"	9	-Brass Tower Bolt (Doom Type) 2.5mm	81
-Brass 'L' Type Lock 3" & 4"	9	-Brass Tower Bolt (16 & 19mm)	81
-Brass dead Lock 2", 2.5" & 3"	10	-Brass Aldrop (Plus Aldrop)	82
-MS Double Turn Lock 70mm	10	-Brass 'V'" Aldrop	83
-Brass Cupboard Lock- 2", 3" & 4"	10	-Brass "Georgen" Aldrop	83
-Aluminum Section Entrance Lock & SS handle "Candy"	11	-Brass Latch	84
-Pad Lock	11	-Brass Door Stopper	84
-Brass Rose Handles	12-39	-Brass Pull Handle Supreme Velvet	85
-Brass Mortice Lever Handles	40-41	-Brass Handle 4", 5" & 6"	85
-SS Knob Handles	42	-Brass Pull Handles	86
-SS 304 Rose Handles	43-45	-SS Fittings	87
-SS + Aluminum Rose Handles	46	-SS 304 / 316 Ball Bearing Hinges	88
-SS 304 Mortice Lever Handles	47-48	-SS 304 / 316 Butt Hinges / Pin Type welded Hinge	89
-MS Mortice Handles	49	-SS 304 / 316 Butt Range Heavy Cut	89
-SS+ Aluminium+Zinc Lever Handles	50	-SS 304 / 316 Tower Bolt	90
-Door Closer	51	-SS 304 / 316 "D" Handle	90
-Grace-91	52	-SS 304 / 316 Aldrop	91-92
-Elegant-63	53	-SS 304 / 316 Round Latch	93
-Pearl-96	54	-SS 304 / 316 Pull Handles	94-95
-Expo	55	-Accessories	96-97
-Duke Concealed	56	-Aluminum Fittings	98
-Floor Springs	57	-Aluminum Butt Hinges	99
-F-32	58	-Aluminum Butt Hinges with Nylon Washer	99
-F-32 Brass	59	-Aluminum Tower Bolt	100
-F-72	60	-Aluminum Door Stopper	100
-F-37	61	-Aluminum Aldrop	101
-F-32 HHHD	62	-Aluminum Handle with Plate "D" Type	101
-F-31	63	-Spider Fittings	102
-F-61	64	-Point Fixed Glass Connectors	103
-Floor Spring Combo	65	-Spider Fittings without Fin	104
-Patch Fittings for Floor Springs	66-67	-Routes	105
-Facade / Window Fittings	68	-Shower Hinges & Glass Connectors	106
-SS 304 friction Stay	69	-UPVC Hardware	107-110
-Multi Point Locking System for Windows	70	-Tactiles	111-113
-Z Handle HD (Heavy Duty)	71	-Kitchen Hardware	114-123



Main Door Lock





**Tri Bolt / Night Latch / Main Door Lock
"TRIDENT"**

Cat No. 1625



Technical Parameters

- * High Purity Alloy material cases.
- * Brass Latch
- * Applicable for the main door.
- * Universal in operation
- * Key- set of 4 Computerized keys.

Rim Latch Pin Cylindrical "Agastia"

Cat No. 1627



Technical Parameters

- * High Purity Alloy material cases
- * Brass Reversible Latch
- * Computerized Key
- * Feature: keyless
- * Applicable for the main door
- * Finishes Available: SS / Antique

Rim Latch Pin Cylindrical "Amro"

Cat No. 1626



Technical Parameters

- * High Purity Alloy material cases
- * Brass Latch & Brass dead Lock
- * Computerized Key set of 3
- * Feature: keyless
- * Applicable for the main door
- * Comes in option to install from inside/outside the door. Hence different model for both the options
- * Finishes Available: Ivory/SS Finish



10" Pin Cylindrical Lock

Cat No. 1620

With Computerised key

Technical Parameters

- * Lock Body 10"
- * Latch & Dead Bolt are 100% Brass.
- * High Purity Alloy material cases.
- * Spring is High Grade Spring Steel material, Corrosion protected.
- * Cylinder 100% Brass.
- * Door Thickness- 32 to 50mm
- * These Locks are available with long cover plate and necessary screws.
- * Finishes available in all color options
Brass Finish/SS Finish/Rose /Gold Finish
or any other option in demand
- * Key- set of 3 Computerized keys.



10" Pin Cylindrical Lock PVD

Cat No. 1620 PVD

Technical Parameters

- * Lock Body 10"
- * Brass Latch & Brass Dead Bolt
- * High Purity Alloy material cases.
- * Spring is High Grade Spring Steel material, Corrosion protected.
- * Cylinder 100% Brass.
- * Door Thickness- 32 to 50mm
- * These Locks are available with long cover plate with PVD finish, Strike Plate with PVD Finish and the Brass Cylinder with the same PVD finish of the Lock Body
- * Finishes available in all color options
Brass Finish / SS Finish / Rose Gold Finish
or any other option in demand
- * Key- set of 3 Computerized keys.





Pin Cylindrical 10" Bullet

Cat No. 1621

With Computerised key

Technical Parameters

- * Lock Body 10"
- * Brass Latch & Stainless Steel bullet
- * High Purity Alloy material cases.
- * Spring is High Grade Spring Steel material, Corrosion protected.
- * Cylinder 100% Brass.
- * Door Thickness- 32 to 50mm
- * These Locks are available with long cover plate , Strike Plate and necessary screws.
- * Finishes available in all color options
Brass Finish/SS Finish/Rose /Gold Finish
or any other option in demand
- * Key- set of 3 Computerized keys.



10" Pin Cylindrical Roller Latch Body

Cat No. 1622

Technical Parameters

- * Lock Body 10"
- * Brass Latch & Stainless Steel Bullet
- * Roller Latch
- * High Purity Alloy material cases.
- * Spring is High Grade Spring Steel material, Corrosion protected.
- * Complete Brass Cylinder
- * Door Thickness- 32 to 50mm
- * These Locks are available with long cover Plate with PVD finish, Strike Plate with PVD Finish and the Brass Cylinder with the same PVD finish of the Lock Body
- * Finishes available in all color options
Brass Finish / SS Finish / Rose Gold Finish
or any other option in demand
- * Key- set of 3 Computerized keys.





8" Pin Cylindrical Lock Cat No. 1605

Technical Parameters

- * Lock Body 8"
- * Latch & Dead Bolt are 100% Brass.
- * High Purity Alloy material cases.
- * Spring is High Grade Spring Steel material, Corrosion protected.
- * Cylinder 100% Brass.
- * Door Thickness- 32 to 50mm
- * These Locks are available with long cover plate, Strike Plate and necessary screws.
- * Finishes available in all color options Brass Finish / SS Finish / Rose Gold Finish or any other option in demand
- * Key- set of 3 Computerized keys.



10" Pin Cylindrical Lock for Double Door Cat No. 1620 DL

Technical Parameters

- * Lock Body 10"
- * Latch & Dead Bolt are 100% Brass.
- * High Purity Alloy material cases.
- * Spring is High Grade steel material Corrosion protected
- * Complete Brass Cylinder
- * Door Thickness 32 to 50mm
- * Ideal for Double Door / Leaf Dual motion Technology suitable for Left/Right Handed Opening entrance wooden door
- * Special "Z" section Cover Plate and Special section strike plate.
- * Key- set of 3 computerised key





Brass Mortice Lock Cat No. 1606

Technical Parameters

- * Lock Body is 100mm 6 Lever
- * Latch & Dead Bolt are 100% Brass.
- * High Purity Alloy material cases.
- * Lever Handle are available in Combo with Solid Brass, SS 202, SS 304
- * Key- set of 3 key available.



Brass Baby Latch Cat No. 1650

Technical Parameters

- * Latch 100% Brass
- * Extra Heavy Duty
- * Size 70mm
- * Feature keyless
- * Applicable for Bathroom Door



Brass Pin Cylindrical Dead Lock Cat No. 1610

Technical Parameters

- * Latch 100% Brass
- * Extra Heavy Duty
- * No Lever Handle is required
- * Pull Handle combo is recommended
- * Cylinder 100% Brass.
- * Key- set of 3 Computerized keys.
- * Accompanied with SS key Hole Plate and Strike Plate.





Brass Cylinders ELCB

Technical Parameters

- * Material: 100% Brass
- * Keys: Set of 3 Computerized Key
- * Finishes: Available in SS / Antque Brass / Chrome Plating / Imported Black / Jet Black
- * Lock Body and Cylindrical will be supplied in the same finish as the mortise handle.

BOTH SIDE KEY (BSK)	ONE SIDE KEY WITH ONE SIDE KNOB (OSK)	ONE SIDE KEY WITH COIN CUT (OSK CC)	HALF CYLINDER WITH BOTH SIDE KEY (43MM)	ONE SIDE KEY WITH ONE SIDE OVAL KNOB (OSK)
60 mm 70 mm 80 mm	60 mm 70 mm 80 mm	60 mm 70 mm 80 mm	43 mm 43 mm 43 mm	60 mm 70 mm 80 mm 90 mm 100 mm 110 mm 120 mm





Brass Entrance Lock- 4"

Cat no. EL-1

Technical Parameters

- * Brass Lock Body
- * Brass Dead Bolt
- * Dimension Available: 4" x 1"
- * Key- set of 2 keys.
- * Lever- 4 Levers
- * Suitability- For Aluminum Doors
- * Accompanied with Brass side crame



Brass Mini Entrance Lock- 3"

Cat no. EL-4

Technical Parameters

- * Brass Lock Body
- * Brass Dead Bolt
- * Dimension Available: 3" x 1"
- * Key- set of 2 keys.
- * Lever- 4 Levers
- * Suitability- For Aluminum Doors
- * Accompanied with Brass side crame



MS Entrance Lock- 3" and 4"

Cat no. EL-11

Technical Parameters

- * Brass Dead Bolt
- * MS Body
- * Dimension - 3" and 4"
- * Lever- 6 Levers
- * Suitability- For Aluminum Doors





Brass Sliding Lock Mini- 3"

Cat No. EL-3

Technical Parameters

- * Brass Lock Body
- * Brass Sliding Bolt
- * Dimension 75mm (3") x 1"
- * Key- set of 2 keys.
- * Lever- 4 Levers
- * Suitability- For Aluminum Sliding Door
- * Accompanied with Brass side crame



Brass "L" Type Lock- 3" and 4"

Cat No. EL-2

Technical Parameters

- * Brass Lock Body
- * Brass "L" Type Bolt
- * Dimension Available: 75mm(3") and 100mm (4")
- * Key- set of 2 keys.
- * Lever- 4 Levers / 6 Levers
- * Suitability- For Aluminum Sliding Door
- * Accompanied with Brass side crame





Brass Dead Lock- 2", 2.5" and 3"

Cat No. EBDL

Technical Parameters

- * Brass Dead Bolt
- * Brass Body
- * Dimension - Available in 2", 2.5" & 3"
- * Lever- 6 Levers
- * Accompanied with Brass Side crame.
- * Dimension - 70mm
- * Suitability- For Aluminum/Wooden Door

MS Double Turn Lock- 70mm

Cat No. EL-111

Technical Parameters

- * Brass Dead Bolt
- * MS Body
- * Keys- set of 2
- * Turn- Double Turn
- * Dimension - 70mm
- * Suitability- For Aluminum Doors

Brass Cup Board Locks- 2", 3" and 4"

Cat no. EBCL

Technical Parameters

- * Brass Lock Body
- * Brass Latch
- * Lever- 6 Lever
- * Suitability- For Wooden Almirahs
- * Keys- Set of 2 Keys
- * Dimensions- Available in 2", 3" & 4"





Aluminium Section Entrance Lock + SS Handle “Candy”

Cat No. EL-33
+
Candy

Technical Parameters

- * Brass Latch
- * Brass Dead Bolt
- * Suitability- For Aluminum Doors with 33mm thickness
- * Keys- Set of 3 Keys
- * Accompanied with SS Handle “Candy” of 10”
- * Candy Handle is available in SS finish / Black finish



Pad Locks



Tyson (Round 68mm) MS



Sky (Square 62mm) MS



Omni (Disk Type) Ss304



Brass Pad Lock 65mm



BRASS MORTICE
ROSE HANDLE





BRASS ROSE HANDLE



BLUSH



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD

Coco



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD







BRASS ROSE HANDLE


Sky




Esteem











BRASS ROSE HANDLE



Johnson



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD

KEN



SS BRUSH



SUNSET GOLD



ANTIQUE



ROSE GOLD



BRASS ROSE HANDLE

ROMEO



ROXY









BRASS ROSE HANDLE

Saphire



SS BRUSH



SS PVD



ANTIQUE



GOLD



ROSE GOLD

REVan



SS BRUSH



ANTIQUE



BLACK



SS BRUSH



GOLD











BRASS ROSE HANDLE



SQUARE



SS BRUSH



ANTIQUE



ROSE GOLD



GOLD



VENICE



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD



BLACK



BRASS ROSE HANDLE

SPRING



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD



BLACK

NOBLE



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD



BLACK



BRASS ROSE HANDLE

FLAIR



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD



BLACK

CURVE



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD



BRASS
ROSE HANDLE



GYPSY



STYLE







BRASS ROSE HANDLE

Crysta



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD

BRASS ROSE KNOB

PENGUIN



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD



BRASS ROSE KNOB

STAR



Truth





BRASS ROSE KNOB

Corel



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD

Samsung



SS BRUSH



ANTIQUE



BLACK



GOLD



ROSE GOLD



BRASS ROSE KNOB

JULIET



BLACK



GOLD



SS BRUSH



ANTIQUE



ROSE GOLD

BRASS ROSE HANDLE

TAPER





BRASS ROSE KNOB

SQUARETON



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD



BRASS ROSE HANDLE

TECH



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD



BRASS ROSE HANDLE

VINNI



SS BRUSH



ANTIQUE



GOLD



ROSE GOLD

ZEN





BRASS MORTICE LEVER HANDLES



AURA 10"



AURA 8"



NOVA



ZENITH 10"



ZENITH 8"



ELAN



AXIS 10"



AXIS 8"



AXIS 8"



BRASS MORTICE LEVER HANDLES



KESAR



PRITHVI



PRITHVI



ALIGN



ZAREK



TRIOX



TORQUE



WINDSOR



ENAYA

BRASS MORTICE MAIN DOOR LEVER HANDLES



NALWA 11"



VIRAT 14"



ALEXANDER 13"



ASHOKA 10"



SS KNOB HANDLES





SS 304 ROSE HANDLE





SS ROSE HANDLES -SS 304 / SS 316



KADE



URBAN



KIARA



KOBY



RANGER



PETAL



CUBIC



FALCO



ZINGER



VOLVO



SS ROSE HANDLES -SS 304 / SS 316



SAPHIRE



GANEEV SE
(Square Escutcheon)



GANEEV RE
(Round Escutcheon)



CLARINS



KADE OE
(Oval Escutcheon)



KIARA OE
(Oval Escutcheon)



URBAN OE
(Oval Escutcheon)



ESCUTCHEON SQUARE
For Euro Profile Cylinder



ESCUTCHEON ROUND
For Euro Profile Cylinder



ESCUTCHEON OVAL
For Euro Profile Cylinder



SS ROSE HANDLES - SS 202



ZIVO



ZIVO



VERTA



VION



VION

ALLUMINIUM ROSE HANDLES



VOLAR



ORBIS



ORBIS

ZINC ROSE HANDLES



CORE



CREST



EDGE



LEXA



SS 304 MORTICE
LEVER HANDLE





SS MORTICE HANDLES



PURU



TOYOTA



KELLY



FONDY



CUBIC WP
8" & 10"



KAUE WP
8" & 10"



KIARA WP
8" & 10"



RUNO



ENZO



AEGIS



DRAYK



BRAV'UR



BRAV'UR



MS MORTICE HANDLES



VELORA



VELORA



VELORA



ZYRA



ZYRA



NOIRE



LEVERA



ORVELLA



VIVARO



ZEPHIRA



DEZARO



SS + ALUMINIUM HANDLES



SERA



LUME



KIVO

ZINC MORTICE HANDLES



YOGI
8" & 10"



BUTTERFLY
8" & 10"



GLORY
8"



DOOR CLOSER





GRACE-91 DOOR CLOSER Cat. No. 1112

- Technical Parameters
- * ISI Marked Hydraulic Door Closer Tubular Type.
 - * Aluminum Extruded body with Double Speed Adjustment.
 - * Works on rack and pinion and helical Spring.
 - * Universal Door Closer, Type "B".

Cat No.	Model	Size No.	Door Width in mm	Door Weight in kgs	Function
1112	Grace-91	2	850	60	2 speed Adjustment
1113	Grace-91 HD	3	1000	80	
1114	Grace-91 HHD	4	1000	100	
1115	Grace-91 HHHD	5	1200	120	





ELEGANT-63 DOOR CLOSER Cat. No. 1102

- Technical Parameters
- * ISI Marked Hydraulic Door Closer Type "A"
 - * Bottle Type, Aluminum Body
 - * Operation - Left Hand/Right Hand
 - * Works on Torsion Spring.

Cat No.	Model	Size No.	Door Width in mm	Door Weight in kg	Function
1102	Elegant-63	2	850	60	2 Speed Adjustment
1104	HD-66	3	1000	80	



3564

CML 8215162



PEARL-96 DOOR CLOSER Cat. No. 1116

- Technical Parameters
- * Hydraulic Door Closer Type "B"
 - * Tubular Type
 - * Works on Rack and Pinion and Helical Spring



Cat No.	Model	Size No.	Door Width in mm	Door Weight in kg	Function
1116	Pearl-96	2	850	60	2 Speed Adjustment
1116H	Pearl-96 HD	3	1000	80	2 Speed Adjustment





EXPO DOOR CLOSER Cat. No. 1119

- Technical Parameters
- * Hydraulic Door Closer Type "B"
 - * Tubular Type
 - * Works on Rack and Pinion and Helical Spring
 - * Operation: Left hand or Right Hand

Cat No.	Model	Size No.	Door Width in mm	Door Weight in kg	Function
1119	Expo	2	850	60	2 Speed Adjustment (90° to 30° - 30° to 0°)
1119B	Expo HD	3	1000	80	2 Speed Adjustment (90° to 30° - 30° to 0°)






DUKE CONCEALED DOOR CLOSER
Cat. No. 1107


- Technical Parameters
- * Hydraulic Door Closer Type "B"
 - * Works on Rack and Pinion
 - * Operation: Left hand or Right Hand
 - * With Sliding Arm & Aluminum profile for main body.


Cat No.	Model	Size No.	Door Width in mm	Door Weight in kg	Function
1107	Duke Concealed	2	850	60	2 Speed Adjustment (90° to 30° - 30° to 0°)
1108	Duke Concealed HD	3	1000	80	2 Speed Adjustment (90° to 30° - 30° to 0°)
1109	Duke Concealed HHHD	5	1200	120	2 Speed Adjustment (90° to 30° - 30° to 0°)





FLOOR SPRING





F-32 FLOOR SPRING Cat. No. 1204

Technical Parameters



Dimension: 11.2" x 7.1" x 2.5"
Top Plate- 12" x 7.2" (30x18.5cm)
Outer Box- 28.3cm x 17.9 x 6.3cm
Lever Size- 220mm x 30 x 11mm



Door Weight: 125kgs.




Door Width: 900-1250mm



Max. Open Degree: 116°




Features: Double Action, Universal Type
with Double Cylinder, ISI, Heavy Duty.
Hold Open/Non Hold Open available in
both sides and as well as single side
opening too.
Plate Thickness- SS304 Grade with
1.2mm thickness.
Brass Plate with 1.5mm thickness



- Backcheck Control
- Back to Closed Position Area





F-32 FLOOR SPRING with Brass Plate

Cat. No. 1204 B

Technical Parameters



Dimension: 11.2" x 7.1" x 2.5"
Top Plate- 12" x 7.2" (30x18.5cm)
Outer Box- 28.3cm x 17.9 x 6.3cm
Lever Size- 220mm x 30 x 11mm



Door Weight: 125kgs.




Door Width: 900-1250mm




Max. Open Degree: 116°




Features: Double Action, Universal Type with Double Cylinder, ISI, Heavy Duty. Hold Open/Non Hold Open available in both sides and as well as single side opening too.
Plate Thickness-
Brass Plate with 1.5mm thickness



- Backcheck Control
- Back to Closed Position Area





F-72 FLOOR SPRING Cat. No. 1202

Technical Parameters



Dimension: 10" x 6.5" x 2.33"
Top Plate- 305 x 187mm
Outer Box- 295 x 180 x 60mm
Lever Size- 220 x 30 x 11mm



Door Weight: 80kgs.




Door Width: 800-1000mm



Max. Open Degree: 116°




Features: Double Action, Universal Type with Single Cylinder.
Hold Open/Non Hold Open available in both sides and as well as single side opening too.
Plate Thickness- SS304 Grade with 1.2mm thickness.



Backcheck Control

Back to Closed Position Area





F-37 FLOOR SPRING Cat. No. 1207

Technical Parameters

Dimension: 11.2" x 7.1" x 2.5"
Top Plate- 12" x 7.2" (30x18.5cm)
Outer Box- 28.3cm x 17.9 x 6.3cm
Lever Size- 220mm x 30 x 11mm



Door Weight: 175kgs.




Door Width: 850-1200mm



Max. Open Degree: 116°




Features: Double Action, Universal Type with Single Cylinder.
Hold Open/Non Hold Open available in both sides and as well as single side opening too.
Plate Thickness- SS304 Grade with 1.2mm thickness.



Backcheck Control
Back to Closed Position Area





F-32 HHHH FLOOR SPRING Cat. No. 1250

Technical Parameters



Dimension: 11.2" x 7.1" x 2.5"
Top Plate- 12" x 7.2" (30x18.5cm)
Outer Box- 28.3cm x 17.9 x 6.3cm
Lever Size- 220mm x 30 x 11mm



Door Weight: Customization for 200-350kgs.




Door Width: 900-1250mm



Max. Open Degree: 116°




Features: Double Action, Heavy Duty,
Universal with Double Cylinder, Double
Speed Adjustment, 2 Section Speed
Adjustment valve closing Buffering Function,
Position Adjustable.
Plate Thickness- SS304 Grade with
1.2mm thickness.



- Backcheck Control
- Back to Closed Position Area





F-31 FLOOR SPRING

Technical Parameters



Dimension: 12" x 4.25" x 1.7"
Top Plate: 12.5" x 5"



Door Weight: 125 kgs.




Door Width: 850-1050mm



Max. Open Degree: 116°




Features: Double Action, Double Acting with 90° Stop Device, Double Cylinder, Double Speed Adjustment Valve, Closing Buffering Function Position Adjustable.
Plate Thickness: SS304 Grade with 1.2mm thickness.



■ Backcheck Control
■ Back to Closed Position Area





F-61 FLOOR SPRING Cat. No. 1261

Technical Parameters



Dimension: 12" x 4" x 2"
Top Plate- 10.5" x 4.6"



Door Weight: 80 kgs.




Door Width: 850-1000mm



Max. Open Degree: 116°



Features: Double Action, Double Acting with 90° Stop Device, Single Cylinder, Double Speed Adjustment, 2 Section Speed Adjustment Valve Closing Buffering Function Position Adjustable.
Plate Thickness- SS304 Grade with 1.2mm thickness.



■ Backcheck Control
■ Back to Closed Position Area






FLOOR SPRING COMBO





PATCH FITTINGS



EP 05 EGP 05 TOP PIVOT FOR PATCH



EP 10 EGP 10 BOTTOM PATCH




EP 20 EGP 20 TOP PATCH



EP 25 EGP 25 TOP CORNER PATCH



EP 30 EGP 30 L CORNER PATCH



EP 40 EGP 40 LOCK



PATCH FITTINGS



Facade / Window Fittings






SS 304 Friction Stay

Technical Parameters

Cat No.	Size in inch	Size in mm
EFS08	8"	200
EFS10	10"	250
EFS12	12"	300
EFS14	14"	350
EFS16	16"	400
EFS18	18"	450
EFS20	20"	500
EFS24	24"	600
EFS28	28"	700



* Available in SS 202 / SS 304 Grade
* Available in both Domestic Series as well as Commercial Series





Multi Point Locking System
for Windows

Cat No.	Description
EMPLS 2P	TWO POINT LOCKING SYSTEMS (BLACK) CREMONE HANDLE WITH INBUILT KIT-1 PC. CURTAIN WALL STRIKER-2 PCS., PLUG FOR CLOSING-2 PCS.
EMPLS 4P	FOUR POINT LOCKING SYSTEMS (BLACK) CREMONE HANDLE WITH INBUILT KIT-1PC. CURTAIN WALL STRIKER-4 PCS., PLUG FOR CLOSING-4 PCS. CORNER TRANSMISSION-2 PCS.
EMPLS 6P	SIX POINT LOCKING SYSTEMS (BLACK) CREMONE HANDLE WITH INBUILT KIT-1PC. CURTAIN WALL STRIKER-6 PCS., PLUG FOR CLOSING-6 PCS. CORNER TRANSMISSION-2 PCS.
EMPLS 8P	EIGHT POINT LOCKING SYSTEMS (BLACK) CREMONE HANDLE WITH INBUILT KIT-1PC. CURTAIN WALL STRIKER-8 PCS., PLUG FOR CLOSING-8 PCS. CORNER TRANSMISSION-2 PCS.
EMPLS 10P	TEN POINT LOCKING SYSTEMS (BLACK) CREMONE HANDLE WITH INBUILT KIT-1PC. CURTAIN WALL STRIKER-10 PCS., PLUG FOR CLOSING-10 PCS. CORNER TRANSMISSION-2 PCS.
EMPLS 12P	TWELVE POINT LOCKING SYSTEMS (BLACK) CREMONE HANDLE WITH INBUILT KIT-1PC. CURTAIN WALL STRIKER-12 PCS., PLUG FOR CLOSING-12 PCS. CORNER TRANSMISSION-2 PCS.
EMPOHDC	MULTIPOINT OFFSET HANDLE





Z Handle HD (Heavy Duty)

Cat No. EAWRHHD

Technical Parameters

- * Designed for Sliding Window Shutters
- * Heavy Duty Performance with simple usage
- * Ergonomic Design
- * Hand Operation- Left Hand and Right Hand Side closing Windows.
- * Click into the shutter, Easy to fit.
- * Easy usage safe for kids.
- * Single Point Lock
- * Simple Installation
- * Aluminium Powder Coating Color- Black & White
- * Strong & Comfortable grip for windows of PVC, Aluminium & other materials
- * Special wedges with packing supplied with handles
- * With necessary screws & accessories.
- * Extra packing material can be supplied as per requirement



Z HINGE for UPVC

Aluminium Doors & Windows

Cat No. EAZHHD

Technical Parameters

- * Euro Groove 50mm with Heavy MS Plate
- * Euro Groove 40mm with MS Plate
- * Powder Coated
- * Finish Black / White
- * With necessary Screws
- * Click onto cavity in shutter, Easy to Fit





Sliding Window Latch concealed with Manual Lock Cat no. EASWCM8

Technical Parameters

- * Designed for Sliding Window Shutters
- * Unique Safety Lock with a spring loaded Slide Catch
- * Heavy Duty Performance with simple usage
- * Ergonomic Design
- * Universal Hand Operation (both left hand and right hand side)
- Closing windows
- * Click into the cavity in shutter, Easy to fit
- * Available in two options with lock and without lock.
- * Easy usage safe for kids, elderly and special assistance users.
- * Simple Installation
- * Aluminium Powder Coating Color- Black
- * Slide Indicators- embossed
- * Unit Packing- Single pc.



Domal Handle Marigold Cat no. EASWDH

Technical Parameters

- * Designed for Sliding Window Shutters
- * Heavy Duty Performance with simple usage
- * Universal Hand Operation (both left and right hand operational side)
- Closing windows
- * Ergonomic Design
- * Click into cavity in shutter, Easy to fit
- * Aluminium Powder Coating Color
- * Unit Packing- Single pc.
- * Easy usage safe for kids, elderly and special assistance users.
- * Simple Installation



Sliding Window Latch Concealed 7"

Cat No. EASWC8

Technical Parameters

- * Designed for Sliding Window Shutters
- * Comes with a Latch automatic Locking System for Slide Catch
- * Comes in Pair with one left hand and One Right Hand Lock
- * Click into the cavity in shutter, Easy to fit
- * Dimension 7"
- * Available in Aluminium Powder Coating Color Option Black/Ivory/Champagne Color
- * Simple Installation
- * Unit Packing- Pair



Sliding Window Latch Concealed 4"

Cat No. EASWC4

Technical Parameters

- * Designed for Sliding Window Shutters
- * Comes with a Latch automatic Locking System for Slide Catch
- * Comes in Pair with one left hand and One Right Hand Lock
- * Click into the cavity in shutter, Easy to fit
- * Dimension 4"
- * Available in Aluminium Powder Coating Color Option Black/Ivory/Champagne Color
- * Simple Installation
- * Unit Packing- Pair





Z Handle (Light) Cat No. EAWRH

Technical Parameters

- * Designed for Sliding Window Shutters
- * For light duty windows for (4-7kgs load)
- * Ergonomic Design
- * Hand Operation- Left Hand and Right Hand Side closing Windows.
- * Click into the shutter, Easy to fit.
- * Easy usage safe for kids.
- * Single Point Lock
- * Simple Installation
- * Aluminium Powder Coating Color- Black & White
- * Strong & Comfortable grip for windows of PVC, Aluminium & other materials
- * Special wedges with packing supplied with handles
- * With necessary screws & accessories.
- * Extra packing material can be supplied as per requirement



Z Handle with Push Button Cat No. EAWPB


Technical Parameters

- * Designed for Sliding Window Shutters
- * For light duty windows for (4-7kgs load)
- * Ergonomic Design
- * Hand Operation- Left Hand and Right Hand Side closing Windows.
- * Click into the shutter, Easy to fit.
- * Easy usage safe for kids.
- * Single Point Lock
- * Simple Installation
- * Aluminium Powder Coating Color- Black & White
- * Strong & Comfortable grip for windows of PVC, Aluminium & other materials
- * Special wedges with packing supplied with handles
- * With necessary screws & accessories.
- * Extra packing material can be supplied as per requirement





BRASS FITTINGS





Brass Railway Butt Hinges
Self Lubricated

Technical Parameters

Cat No.	Size in mm	Size in inch	Dia in mm	Thickness in mm
EBSLRH 8322	75 x 22	3 x 7/8	8(5/16)	3(1/8)
EBSLRH 8422	100 x 22	4 x 7/8	8(5/16)	8(1/8)

Cat No.	Size in mm	Size in inch	Dia in mm	Thickness in mm
EBSLRH 9325	75 x 25	3 x 1	9(3/8)	3(1/8)
EBSLRH 9425	100 x 25	4 x 1	9(3/8)	3(1/8)
EBSLRH 9525	125 x 25	5 x 1	9(3/8)	3(1/8)
EBSLRH 9625	150 x 25	6 x 1	9(3/8)	3(1/8)

Cat No.	Size in mm	Size in inch	Dia in mm	Thickness in mm
EBSLRH 431	100 x 31	4 x 1.1/4	10(13/32)	4(5/32)
EBSLRH 531	125 x 31	5 x 1.1/4	10(13/32)	4(5/32)
EBSLRH 631	150 x 31	6 x 1.1/4	10(13/32)	4(5/32)
EBSLRH 838	200 x 38	8 x 1.1/2	10(13/32)	4(5/32)





Brass Butt Hinges

Technical Parameters

Cat No.	Size in mm	Size in inch	Dia in mm	Thickness in mm
EBHL312	75 x 12	3 x 1/2	6(1/4)	2(3/32)
EBHL316	75 x 16	3 x 5/8	6(1/4)	2(3/32)
EBHL416	100 x 16	4 x 5/8	6(1/4)	2(3/32)
EBHL319	75 x 19	3 x 3/4	6(1/4)	2(3/32)
EBHL419	100 x 19	4 x 3/4	6(1/4)	2(3/32)
EBHL322	75 x 22	3 x 7/8	6(1/4)	2(3/32)
EBHL422	100 x 22	4 x 7/8	6(1/4)	2(3/32)
EBHL325	75 x 25	3 x 1	6(1/4)	2(3/32)
EBHL425	100 x 25	4 x 1	6(1/4)	2(3/32)



Brass Cut Type Hinges

Cat No.	Size in mm	Size in inch	Dia in mm	Thickness in mm
EBCHL0316	75 x 9 x 16	3 x 3/8 x 5/8	6(1/4)	2(3/32)
EBCHL0416	100 x 9 x 16	4 x 3/8 x 5/8	6(1/4)	2(3/32)
EBCHL0319	75 x 9 x 19	3 x 3/8 x 3/4	6(1/4)	2(3/32)
EBCHL0419	100 x 9 x 19	4 x 3/8 x 3/4	6(1/4)	2(3/32)
EBCHL0325	75 x 9 x 25	3 x 3/8 x 1	6(1/4)	2(3/32)
EBCHL0425	100 x 9 x 25	4 x 3/8 x 1	6(1/4)	2(3/32)
EBCHL1319	75 x 12 x 19	3 x 1/2 x 3/4	6(1/4)	2(3/32)
EBCHL1419	100 x 12 x 19	4 x 1/2 x 3/4	6(1/4)	2(3/32)
EBCHL1325	75 x 12 x 25	3 x 1/2 x 1	6(1/4)	2(3/32)
EBCHL1425	100 x 12 x 25	4 x 1/2 x 1	6(1/4)	2(3/32)
EBCHL2325	75 x 19 x 25	3 x 3/4 x 1	6(1/4)	2(3/32)
EBCHL2425	100 x 19 x 25	4 x 3/4 x 1	6(1/4)	2(3/32)





Brass Bearing Hinges with
Doom/Flat Top (Four Bearings)



Technical Parameters

Cat No.	Size in mm	Size in inch	Dia in mm	Thickness in mm
EBHB 3363	75 x 63	3 x 2 1/2	12(15/32)	3(1/8)
EBHB 3475	100 x 75	4 x 3	12(15/32)	3(1/8)
EBHB 3575	125 x 75	5 x 3	12(15/32)	3(1/8)
EBHB 3675	150 x 75	6 x 3	12(15/32)	3(1/8)

Cat No.	Size in mm	Size in inch	Dia in mm	Thickness in mm
EBHB 4428	100 x 28	4 x 1 1/8	12(15/32)	4(5/32)
EBHB 4528	125 x 28	5 x 1 1/8	12(15/32)	4(5/32)
EBHB 4628	150 x 28	6 x 1 1/8	12(15/32)	4(5/32)
EBHB 4475	100 x 75	4 x 3	12(15/32)	4(5/32)
EBHB 4575	125 x 75	5 x 3	12(15/32)	4(5/32)
EBHB 4675	150 x 75	6 x 3	12(15/32)	4(5/32)
EBHB 4588	125 x 88	5 x 3 1/2	12(15/32)	4(5/32)
EBHB 4688	150 x 88	6 x 3 1/2	12(15/32)	4(5/32)
EBHB 4888	200 x 88	8 x 3 1/2	12(15/32)	4(5/32)
EBHB 4400	100 x 100	4 x 4	12(15/32)	4(5/32)
EBHB 4500	125 x 100	5 x 4	12(15/32)	4(5/32)
EBHB 4600	150 x 100	6 x 4	12(15/32)	4(5/32)

Cat No.	Size in mm	Size in inch	Dia in mm	Thickness in mm
EBHB 5575	125 x 75	5 x 3	16(5/8)	5(13/64)
EBHB 5675	150 x 75	6 x 3	16(5/8)	5(13/64)
EBHB 5875	200 x 75	8 x 3	16(5/8)	5(13/64)
EBHB 5588	125 x 88	5 x 3 1/2	16(5/8)	5(13/64)
EBHB 5688	150 x 88	6 x 3 1/2	16(5/8)	5(13/64)
EBHB 5888	200 x 88	8 x 3 1/2	16(5/8)	5(13/64)
EBHB 55100	125 x 100	5 x 4	16(5/8)	5(13/64)
EBHB 56100	150 x 100	6 x 4	16(5/8)	5(13/64)
EBHB 58100	200 x 100	8 x 4	16(5/8)	5(13/64)
EBHB 510100	250 x 100	10 x 4	16(5/8)	5(13/64)
EBHB 512100	300 x 100	12 x 4	16(5/8)	5(13/64)

Brass Parliament Hinges



Technical Parameters

Cat No.	Size in mm	Size in inch
EBPH7550	75 x 50	3 x 2
EBPH7575	75 x 75	3 x 3
EBPH10050	100 x 50	4 x 2
EBPH10075	100 x 75	4 x 3
EBPH100100	100 x 100	4 x 4
EBPH100125	100 x 125	4 x 5
EBPH100150	100 x 150	4 x 6
EBPH100200	100 x 200	4 x 8
EBPH125100	125 x 100	5 x 4
EBPH125125	125 x 125	5 x 5
EBPH125150	125 x 150	5 x 6
EBPH125200	125 x 200	5 x 8



Brass Tower Bolt

Technical Parameters1mm

Cat No.	Size in mm	Size in inch	Thickness in mm
EBTRL 8075	8 x 75	5/16 x 3	1
EBTRL 8100	8 x 100	5/16 x 4	1
EBTRL 8150	8 x 150	5/16 x 6	1
EBTRL 8200	8 x 200	5/16 x 8	1



Brass Tower Bolt

Technical Parameters1.5mm

Cat No.	Size in mm	Size in inch	Thickness in mm
EBTRM 9075	9 x 75	3/8 x 3	1.5
EBTRM 9100	9 x 100	3/8 x 4	1.5
EBTRM 9150	9 x 150	3/8 x 6	1.5
EBTRM 9200	9 x 200	3/8 x 8	1.5
EBTRM 9250	9 x 250	3/8 x 10	1.5
EBTRM 9300	9 x 300	3/8 x 12	1.5
EBTRM 9375	9 x 375	3/8 x 15	1.5
EBTRM 9450	9 x 450	3/8 x 18	1.5
EBTRM 9600	9 x 600	3/8 x 24	1.5
EBTRM 12100	12 x 100	1/2 x 4	1.5
EBTRM 12150	12 x 150	1/2 x 6	1.5
EBTRM 12200	12 x 200	1/2 x 8	1.5
EBTRM 12250	12 x 250	1/2 x 10	1.5
EBTRM 12300	12 x 300	1/2 x 12	1.5
EBTRM 12375	12 x 375	1/2 x 15	1.5
EBTRM 12450	12 x 450	1/2 x 18	1.5
EBTRM 12600	12 x 600	1/2 x 24	1.5
EBTRM 12750	12 x 750	1/2 x 30	1.5
EBTRM 12900	12 x 900	1/2 x 36	1.5





Brass Tower Bolt

Technical Parameters

1.5mm (1/16)

Cat No.	Size in mm	Size in inch	Thickness in mm
EBTRM 95075	9.5 x 75	3/8 x 3	1.5 (1/16)
EBTRM 95100	9.5 x 100	3/8 x 4	1.5 (1/16)
EBTRM 95150	9.5 x 150	3/8 x 6	1.5 (1/16)
EBTRM 95200	9.5 x 200	3/8 x 8	1.5 (1/16)
EBTRM 95250	9.5 x 250	3/8 x 10	1.5 (1/16)
EBTRM 95300	9.5 x 300	3/8 x 12	1.5 (1/16)
EBTRM 95375	9.5 x 375	3/8 x 15	1.5 (1/16)
EBTRM 95450	9.5 x 450	3/8 x 18	1.5 (1/16)
EBTRM 95600	9.5 x 600	3/8 x 24	1.5 (1/16)



Brass Tower Bolt

Technical Parameters

2mm (3/32)

Cat No.	Size in mm	Size in inch	Thickness in mm
EBTRHF 10075	10 x 75	25/64 x 3	2(3/32)
EBTRHF 10100	10 x 100	25/64 x 4	2(3/32)
EBTRHF 10150	10 x 150	25/64 x 6	2(3/32)
EBTRHF 10200	10 x 200	25/64 x 8	2(3/32)
EBTRHF 10250	10 x 250	25/64 x 10	2(3/32)
EBTRHF 10300	10 x 300	25/64 x 12	2(3/32)
EBTRHF 10375	10 x 375	25/64 x 15	2(3/32)
EBTRHF 10450	10 x 450	25/64 x 18	2(3/32)
EBTRHF 10600	10 x 600	25/64 x 24	2(3/32)



Brass Tower Bolt Plate
(Doom Type)

Technical Parameters2.5mm

Cat No.	Size in mm	Size in inch	Thickness in mm
EBTRHF 10075	10 x 75	25/64 x 3	2.5
EBTRHF 10100	10 x 100	25/64 x 4	2.5
EBTRHF 10150	10 x 150	25/64 x 6	2.5
EBTRHF 10200	10 x 200	25/64 x 8	2.5
EBTRHF 10250	10 x 250	25/64 x 10	2.5
EBTRHF 10300	10 x 300	25/64 x 12	2.5
EBTRHF 10375	10 x 375	25/64 x 15	2.5
EBTRHF 10450	10 x 450	25/64 x 18	2.5
EBTRHF 10600	10 x 600	25/64 x 24	2.5



Brass Tower Bolt (16/19mm)

Technical Parameters

Cat No.	Size in mm	Size in inch
EBTB 16150	16 x 150	5/8 x 6
EBTB 16200	16 x 200	5/8 x 8
EBTB 16250	16 x 250	5/8 x 10
EBTB 16300	16 x 300	5/8 x 12
EBTB 16375	16 x 375	5/8 x 15
EBTB 16450	16 x 450	5/8 x 18
EBTB 16600	16 x 600	5/8 x 24
EBTB 16750	16 x 750	5/8 x 30
EBTB 16900	16 x 900	5/8 x 36
EBTB 19450	19 x 450	3/4 x 18
EBTB 19600	19 x 600	3/4 x 24
EBTB 19750	19 x 750	3/4 x 30
EBTB 19900	19 x 900	3/4 x 36
EBTB 191200	19 x 1200	3/4 x 48
EBTB 191500	19 x 1500	3/4 x 60





**Brass Aldrop
(Plus Aldrop) (3+1)**

Technical Parameters

Cat No.	Size in mm	Size in inch
EBPAD 16200	16 x 200	5/8 x 8"
EBPAD 16250	16 x 250	5/8 x 10"
EBPAD 16300	16 x 300	5/8 x 12"
EBPAD 16350	16 x 350	5/8 x 14"
EBPADC 16	EXTRA CLIP EXTRA LOCK	
EBPADC 16		





Brass “V” Aldrop
(3+1)

Technical Parameters

Cat No.	Size in mm	Size in inch
EBVAD 16200	16 x 200	5/8 x 8"
EBVAD 16250	16 x 250	5/8 x 10"
EBVAD 16300	16 x 300	5/8 x 12"
EBVAD 16350	16 x 350	5/8 x 14"
EBVAD 19300	19 x 300	3/4 x 12"
EBVAD 19350	19 x 350	3/4 x 14"
EBVAD 19400	19 x 400	3/4 x 16"
EBVAD 19450	19 x 450	3/4 x 18"
EBVAD 19600	19 x 600	3/4 x 24"
EBVADC 16	EXTRA CLIP	
EBVADC 16	EXTRA LOCK	
EBVADC 19	EXTRA CLIP	
EBVADL 19	EXTRA LOCK	



Brass Georgen Aldrop
(3+1)

Technical Parameters

Cat No.	Size in mm	Size in inch
EBGAD 16200	16 x 200	5/8 x 8"
EBGAD 16250	16 x 250	5/8 x 10"
EBGAD 16300	16 x 300	5/8 x 12"
EBGAD 16350	16 x 350	5/8 x 14"
EBGAD 19300	19 x 300	3/4 x 12"
EBGAD 19350	19 x 350	3/4 x 14"
EBGAD 19400	19 x 400	3/4 x 16"
EBGAD 19450	19 x 450	3/4 x 18"
EBGADC 16	EXTRA CLIP	
EBGADC 16	EXTRA LOCK	
EBGADC 19	EXTRA CLIP	
EBGADC 19	EXTRA LOCK	





Brass Plus Tadi / Brass Latch
(3+1)

Technical Parameters

Cat No.	Size in mm	Size in inch
EBPTD 12200	12 x 200	½ x 8"
EBPTD 12250	12 x 250	1/2 x 10"
EBPTD 12300	12 x 300	1/2 x 12"
EBPADC 12	EXTRA CLIP	



Brass Door Stopper

Technical Parameters

Cat No.	Size	Type	Size in inch
EBDS1	100	Heavy	4
EBDS2	85	Georgen	3.1/2
EBDS3	100	Flora	4



Flora



Brass Pull Handle- Supreme Velvet

Technical Parameters

Cat No.	Description
EBPHSUPVE 8	Brass Pull Handle Supreme Velvet 8"
EBPHSUPVE 10	Brass Pull Handle Supreme Velvet 10"
EBPHSUPVE 12	Brass Pull Handle Supreme Velvet 12"



Brass Pull Handle- 4", 5" & 6"

Technical Parameters

Cat No.	Description
EBDH 4	Brass Handle 4"
EBDH 5	Brass Handle 5"
EBDH 6	Brass Handle 6"





Brass Pull Handle 8"



EBPH 1



EBPH 2



EBPH 3



EBPH 4



EBPH 5



EBPH 6



EBPH 7



EBPH 8



EBPH 9





SS Premium Ball Bearing Hinges (SS304/SS316)

Technical Parameters

Cat No.	Size
ESSPPTS04	4" x 3" x 2.50
ESSPPTS05	5" x 3" x 2.50
ESSPPTS06	4" x 3" x 3.00
ESSPPTS07	5" x 3" x 3.00





SS Butt Hinges / Pin Type Welded Hinges Heavy Duty 2.5mm (SS304/SS316)

Technical Parameters

Cat No.	Size
ESSBHH0312	3 x 12
ESSBHH0412	4 x 12
ESSBHH0512	5 x 12
ESSBHH0612	6 x 12



SS Butt Hinges / Pin Type Welded Hinges (SS304/SS316)

Technical Parameters

Cat No.	Size
ESSHM0316	3 x 16
ESSHM0414	4 x 14
ESSHM0514	5 x 14



SS Butt Range (SS304/SS316) Heavy Cut

Technical Parameters

Cat No.	Size
ESSHCH0312	3 x 12
ESSHCH0412	4 x 12
ESSHCH025	5 x 12
ESSHCH030	6 x 12





SS Tower Bolt Squaretone (SS304/SS316)

Technical Parameters

Cat No.	Size
ESSTBS04	4" (100mm)
ESSTBS06	6" (150mm)
ESSTBS08	8" (200mm)
ESSTBS10	10" (250mm)
ESSTBS12	12" (300mm)
ESSTBS14	14" (350mm)
ESSTBS16	16" (400mm)
ESSTBS18	18" (450mm)
ESSTBS24	24" (600mm)



SS “D” Handle (SS304/SS316)
3mm x 25mm

Technical Parameters

Cat No.	Size
SSDH5325	5"
SSDH6325	6"
SSDH7325	7"



SS “D” Handle (SS304/SS316)
2.5mm x 25mm

Technical Parameters

Cat No.	Size
SSDH425	4"
SSDH625	5"
SSDH525	6"






SS Aldrops (SS304/SS316) 16mm, 3mm

Technical Parameters

Cat No.	Size
ESSA08163	8" x 16mm
ESSA10163	10" x 16mm
ESSA12163	12" x 16mm



SS Aldrops (SS304/SS316) 16mm, 2mm, 2.5mm

Technical Parameters

Cat No.	Size
ESSA0816	8" x 16mm
ESSA1016	10" x 16mm
ESSA1216	12" x 16mm





SS Aldrops (SS304/SS316) 14mm, 3mm

Technical Parameters

Cat No.	Size
ESSA08143	8" x 14mm
ESSA10143	10" x 14mm
ESSA12143	12" x 14mm



SS Aldrops (SS304/SS316) 14mm, 2mm

Technical Parameters

Cat No.	Size
ESSA08142	8" x 14mm
ESSA10142	10" x 14mm
ESSA12142	12" x 14mm



SS Aldrops (SS304/SS316) 14mm, 2.5mm

Technical Parameters

Cat No.	Size
ESSA08145	8" x 14mm
ESSA10145	10" x 14mm
ESSA12145	12" x 14mm






SS Round Latch 12mm (SS304/SS316) Rod 2.5mm

Technical Parameters


Cat No.	Size
ESSRL825	8"
ESSRL1025	10"
ESSRL1225	12"



SS Round Latch 12mm (SS304/SS316) Rod 3mm

Technical Parameters

Cat No.	Size
ESSRL0830	8"
ESSRL1030	10"
ESSRL1230	12"





SS 304 / SS 316 PULL HANDLES





SS 304 Pull Handle SS304PH



Offset
Pull Handle



O- Shaped
Back to Back Pull Handle



H-Shaped Pull Handle



Grab Bar



Grab Bar U-Shaped

Technical Parameters

- * Grade SS304/SS316 Available
- * Tubular Pull Handles All shapes Can be customized
- * "H" shape
- * "O" shape
- * "D" shape
- * "C" shape
- * "G" shape
- * High Corrosion resistance

- * Available Length: From 150mm to any Length customization
- * The inbuilt bolt can be customized as per the thickness of the bolt.
- * The bending of the pipe can be customized as per the requirement depending upon the availability of the space where it has to be installed.
- * Finish- Bright / Matt / Dual
- * Pipe thickness: 19mm / 22mm / 25mm / 32mm / 35mm



Accessories



BRASS DOOR GUARD
EBDC09



BRASS EYE VIEWER SMALL
EBDV1



BRASS EYE VIEWER
WITH FLAP
EBDV6



INDICATOR BOLT
ESSDL01



SS CABINET
BENCH HANDLE
ESSBEN08



SS 304 BABY LATCH 4"
ESS304 BL 4



BRASS BABY LATCH
SS FINISH
EBTL 100



BRASS BENCH HANDLE
EBBH 12



SS HOOKS
ESSH6PH1



Accessories



SS DOOR STOPPER
SINGLE LEG
ESSDS02



SS DOOR STOPPER
DOUBLE LEG
ESSDS03



SS WALL MOUNTED
RUBBER BUFFER
ESSDS04



HALF DOME STOPPER
ESSDS06



SS MAGNETIC CATCHER
ESSDS07S



BRASS DOOR CHAIN
EBDC08



MAGNETIC CUPBOARD
CATCHER
EMCC01



SLIDER WHEEL
ESWS



DOUBLE WHEEL
ROLLER
EDWR



ALUMINIUM FITTINGS





Aluminium Butt Hinges

Technical Parameters

Cat No.	Length in mm	Dia in mm	Thickness in mm
7323	75	6.35	2.5
2563	75	9.52	3.2
2564	100	9.52	3.2
2565	125	9.52	3.2
2566	150	9.52	3.2
2573	75	11.10	5.00
2574	100	11.10	5.00
2575	125	11.10	5.00
2576	150	11.10	5.00



Aluminium Butt Hinges
with Nylon Washer

Technical Parameters

Cat No.	Length in mm	Dia in mm	Thickness in mm
7327	75	6.35	2.5
2663	75	9.52	3.2
2664	100	9.52	3.2
2665	125	9.52	3.2
2666	150	9.52	3.2
2673	75	11.10	5.00
2674	100	11.10	5.00
2675	125	11.10	5.00
2676	150	11.10	5.00





Aluminium Tower Bolts

Technical Parameters

Cat No.	Length in mm.	Barrel Dia in mm	Bolt Dia in mm
2401	75	11.00	10.00
2402	100	11.00	10.00
2404	150	11.00	10.00
2406	200	11.00	10.00
2408	250	11.00	10.00
2409	300	11.00	10.00
2410	350	11.00	10.00
2411	400	11.00	10.00
2412	450	11.00	10.00
2413	600	11.00	10.00
2414	100	13.00	12.00
2416	150	13.00	12.00
2418	200	13.00	12.00
2420	250	13.00	12.00
2421	300	13.00	12.00
2422	350	13.00	12.00
2423	400	13.00	12.00
2424	450	13.00	12.00
2425	600	13.00	12.00
2451	100	10.00	9.52
2453	150	10.00	9.52
2454	200	10.00	9.52
2457	300	10.00	9.52



Aluminium Door Stopper

Technical Parameters

Cat No.	Description	Type
1501	Door Stopper Single	Round
1503	Door Stopper Double	Round



Aluminium Aldrops
(Sliding Door Bolts) As per ISI Specifications

Technical Parameters

Cat No.	Length in mm.	Dia in mm	Clamps
2101	150	12.50	3.00
2102	200	12.50	4.00
2103	250	12.50	4.00
2110	200	15.80	4.00
2111	250	15.80	4.00
2112	300	15.80	4.00
2113	350	15.80	4.00
2120	250	19.05	4.00
2121	300	19.05	4.00
2122	350	19.05	4.00



Aluminium Handles “D” Type With Plate

Technical Parameters

Cat No.	Specification	Handle Size
1730	115 x 75 x 32 x 3mm	3"
1731	140 x 100 x 32 x 3mm	4"
1732	175 x 125 x 37 x 3mm	5"
1733	200 x 150 x 37 x 3mm	6"





**SPIDER FITTINGS
FOR ARCHITECTURAL
GLASS SOLUTIONS**





Point Fixed
Glass
Connector



Specifications
Finish: Satin Stainless Steel (SSS)
Suitable for holding glass with wall for structure
Stainless Steel 304 grade
Adjustable +2.5mm
Options: Glass to Glass- 82.5
Glass to Glass- 80.0
Glass to Glass- 82.0
Glass to Glass- 103

**ESBGC-1/Wall to Glass
Connector(Adjustable)**

Specifications
Finish: Satin Stainless Steel (SSS)
Suitable for holding glass with wall for structure
Stainless Steel 304 grade
Adjustable +2.5mm
Options: Glass to Glass- 82.5
Glass to Glass- 80.0
Glass to Glass- 82.0
Glass to Glass- 103.0

**ESBGC-3/ Glass to Glass
Connector (Adjustable)**

Specifications
Finish: Satin Stainless Steel (SSS)
Suitable for holding glass with floor/ceiling
Stainless Steel 304 grade
Adjustable +2.5mm
Options: Glass to Glass- 75.0
Glass to Glass- 100.0

**ESBGC-2
Wall to Glass Connector(Fix)**

Specifications
Finish: Satin Stainless Steel (SSS)
Suitable for holding 2 glass together
Stainless Steel 304 grade
Adjustable +2.5mm
Options: Glass to Glass- 82.5
Glass to Glass- 80.0
Glass to Glass- 82.0
Glass to Glass- 103.0

**ESBGC-4/ Glass to Glass
Connector (Adjustable with fin)**

Canopy Fittings



ECF-1 / Wall to Glass Connector



ECF-2 / Rod to Glass Connector



ECF-3 / Wall to Rod Connector



**ECF-4 / Rod to Glass Connector
with Thread**



Fin Plates

**ESSFP-200 /Fin Plate 200mm
ESSFP-300 /Fin Plate 300mm**



**ESSFP-350 /Fin Plate 350mm
ESSFP-400 /Fin Plate 400mm**



Splice Plates

**ESSSP-200 / Splice Plate 200mm
ESSSP-250 / Splice Plate 250mm**




**ESSSP-300 / Splice Plate 300mm
ESSSP-350 / Splice Plate 350mm**







**Spider Fittings
(Without Fin)**



ESF-1 One Way Spider without fin



ESF-2 Two Way Spider without Fin (180)



ESF-3 Two Way Spider without Fin (90)



ESF-4 Three Way Spider without Fin



ESF-5 Four Way Spider without fin

Spider Fittings (without Fin)



ESF-11 One Way Spider with Fin



ESF-12 Two Way Spider with Fin (180)



ESF-13 Two Way Spider with Fin (90)



ESF-14 Four Way Spider with Fin

Spider Fittings (with Fin)



ROUTLES



ESSR-1 / Articulated Routel
(Flat Head)



ESSR-2 / Articulated Routel
(Counter Sunk)



ESSR-3 / Fix Routel
(Flat Head)



ESSR-4 / Fix Routel
(Counter Sunk)



ESSR-5 / Rigid Bolt
(Flat Head/Counter Sunk)



ESSR-6 / Iron Assembly





Shower Hinges
&
Glass Connectors

SHOWER HINGES (DOOR THICKNESS 8-12MM)

ESS304WGOFS 90 1  Wall to Glass off Set Hinge 90	ESS304WGH 90 2  Wall to Glass Hinge 90	ESS304GTGH 180 3  Wall to Glass Hinge 180
ESS304GTGH 135 4  Glass to Glass Hinge 135	ESS304GTGH 90 5  Glass to Glass Hinge 90	ESS304WTF8 90 6  Wall to Glass Fix Bracket 90

GLASS CONNECTORS
(DOOR THICKNESS 8-12MM)

ESS304FMGC 1  Floor Mounted Glass Connector	ESS304GTGC135 2  Glass to Glass Connector 135	
ESS304GTGC90 3  Glass to Glass Connector 90	ESS304WGC90 4  Wall to Glass Connector 90	
	ESS304GTGC180 5  Glass to Glass Connector 180	



UPVC HARDWARE



UPVC Hardware



Casement Door Set



Casement Door Set Premium



Sliding D Handle Set



Single Point Lock (Cylindrical)



Bathroom Door Set



Sliding Both Side Handle Key + Knob



Sliding Both Side Handle Key + Plain



Cocksphur Handle Premium



Casement Handle Round



Casement Handle With Key (Premium)



Casement Handle Eco / Thumb



Cocksphur Handle Eco



Short Neck Handle



Sliding Handle With Key



Sliding L Handle



UPVC Hardware



C Handle Small



C Handle Big



T Handle



Touch Lock Premium



Touch Lock



Alen Key Handle



Pop Up Handle Aluminium



Pop Up Handle Steel



Pop Up Handle Zinc



Adjustable Roller Nylon Groove



Adjustable Roller Brass Single/Double Geviss



Adjustable Roller PVC Single/Double Geviss



Single Roller Flat



Single Roller Groove



Double Swing Roller Groove



12mm Ball Bearing Roller



UPVC Hardware



Sliding Espags/Casement Espags



Casement 1800 / 35 and D Handle Espag



Friction Slay



Concealed Hinge Window



Concealed Hinge Door



Flat Hinge



3D Hinge



L Patti



Shoot Bolt



Double Shoot Bolt



Plastic Items



TACTILE GROUND SURFACE INDICATORS

WARNING TGSI

EVERITE can offer supply of wide range of SS Tactile Ground Surface Indicator for multi purpose applications. All of our Tactile Ground Surface Indicator are made for 316/304 Stainless Steel grade material to prevent corrosion and provide high resistance to elements also durability in heavy traffic environment. Tactile Ground Surface Indicator are commonly used in outdoor and indoor areas that involve heavy traffic. Due to shiny metallic surface nish easy to identify on any surface like concrete, vitried body, marble or granite.

WHAT ARE TACTILE INDICATORS?

Tactile Indicators are products made from various materials installed into the ground consisting of a series of raised studs or bars. They are installed in the form of laid paving units, individual mushroom shaped studs drilled and xed into the ground or mats glued to the ground surface.

WHAT ARE TACTILE INDICATORS USED FOR?

The purpose of Tactile Ground Surface Indicators (TGSIs) is to give pedestrians who are blind, or who have vision impairment warning of hazards and directional information to aid navigation of the urban environment.

This is achieved by aligning the raised stud or bar pattern of the Tactile Indicators on the ground surface, enabling blind pedestrians to feel the textural changes through their feet or with a cane. Pedestrians with limited vision use the colour contrast between the Tactile Indicators and ground surface to detect the modules visually. TGSIs are predominantly used to lead pedestrians to and identify public access facilities such as intersection kerb ramps, pedestrian crossings, stairs, lifts, ramps and escalators. They are also used at public transport facilities to alert pedestrians to platform edges at train stations, bus and tram stop areas and ferry wharves. In addition in assisting with orientation, Tactile Indicators help provide safe, dignified & independent access to and with in the community.

FEATURES & BENEFITS

WARRANTY

SS
316/304

READY TO
USE AFTER
INSTALLATION

24x7
SERVICE





APPLICATION

Heavy Trafic area such as pedestrain, walkways and external ramps. Suitable for both external and internal application.

INSTALLATION

EVERITE indicator are easy to install, just make a drill and ll it with adhesive to complete installation.


NOTE

All Dimension are in mm.
All Weight in grams & Kg.

PRODUCT DATA

Product Weight	30 gram Approx
Product Dimension	35x25x4.5
Quantity in Package	768
Material	Sainless Steel
Material Grade	316/304
Life Expectancy	25+ Years
Indoor Use	Yes
Outedoor Use	Yes

WARNING TGSi






WARNING TACTILE INDICATORS

Warning Tactile Indicators are also referred to as Hazard Tactile and sometimes Decision Tactile. They are installed to the walking surface in a raised grid pattern of studs or 'dots' and used to warn blind and vision impaired pedestrians of a nearby hazard.

Warning indicators are intended to function much like a stop sign. They alert pedestrians who are blind or vision-impaired to hazards in their line of travel, indicating that they should stop to determine the nature of the hazard before proceeding further. They do not indicate what the hazard will be.





KITCHEN HARDWARE

STORAGE SOLUTIONS
GLASS & SATIN SERIES
PRODUCTS





PANTRY UNIT



Wooden Pantry

Cat No.	Cabinet	Height
EKWP-450	450mm	1150mm-1410mm
EKWP-600	600mm	1150mm-1410mm
EKWPHD-450	450mm	1900mm-2160mm
EKWPHD-600	600mm	1900mm-2160mm

- Single Pull out Unit with 6 Baskets on the Door and 6 Baskets Inside.
- SS Wire / SS Strip Baskets with Wooden Base
- 100 Kgs. Carrying Capacity
- Heavy Duty Runners
- Smooth Closing Mechanism



Satin Pantry

Cat No.	Cabinet	Height
EKSP-450	450mm	1150mm-1410mm
EKSP-600	600mm	1150mm-1410mm
EKSPHD-450	450mm	1900mm-2160mm
EKSPHD-600	600mm	1900mm-2160mm

- Single Pull out Unit with 6 Baskets on the Door and 6 Baskets Inside.
- SS Basket with Wooden Base
- 100 Kgs. Carrying Capacity
- Heavy Duty Runners
- Smooth Closing Mechanism



Glass Pantry

Cat No.	Cabinet	Height
EKGP-450	450mm	1150mm-1410mm
EKGP-600	600mm	1150mm-1410mm
EKGPHD-450	450mm	1900mm-2160mm
EKGPHD-600	600mm	1900mm-2160mm

- Single Pull out Unit with 6 Baskets on the Door and 6 Baskets Inside.
- Glass & SS Basket with Wooden Base
- 100 Kgs. Carrying Capacity
- Heavy Duty Runners
- Smooth Closing Mechanism



**STORAGE SOLUTIONS
GLASS & SATIN SERIES
PRODUCTS**

Satin Pantry Unit

CAT. NO	TYPE	WIDTH	HEIGHT
EKSSPUS1	12 Baskets	450 mm	2040 mm
EKSSPUS2	12 Baskets	600 mm	2040 mm
EKSSPUS3	8 Baskets	450 mm	1525 mm
EKSSPUS4	8 Baskets	600 mm	1525 mm

- Single Pullout Unit with 6 Baskets on the door & 6 Baskets inside.
- Baskets SS with SS Base
- 100 Kgs Carrying Capacity
- Soft Closing Mechanism



Glass Pantry Unit

CAT NO.	TYPE	WIDTH	HEIGHT
EKSSPUG1	12 Baskets	450 mm	2040 mm
EKSSPUG2	12 Baskets	600 mm	2040 mm
EKSSPUG3	8 Baskets	450 mm	1525 mm
EKSSPUG4	8 Baskets	600 mm	1525 mm

- Single Pullout Unit with 6 Baskets on the door & 6 Baskets inside.
- Baskets with SS Base
- 100 Kgs Carrying Capacity
- Soft Closing Mechanism





DISH RACK & ROLLING SHUTTER



Dish Rack

Item Code	Size
PRH - DRS106	600 mm
PRH - DRS107	700 mm
PRH - DRS108	800 mm
PRH - DRS109	900 mm
PRH - DRS110	1000 mm



Rolling Shutter

Finish	Code	Size
Aluminium Finish	TSV-RSA	600 x 1320 mm
SS Finish	TSV-RSS	600 x 1320 mm



Glass Rolling Shutter

Finish	Code	Size
Glass Finish	TSV-RSG	600 x 1320 mm



Bottle Pullout 2 Shelves

Item Code	Size
PRH - 002426	200 mm
PRH - 002424	300 mm




TANDEM BOX




Double Wall Drawer Silky
White Color Screw-on

CAT NO.	SIZE
EKTDW1	84 X 500mm




Double Wall Drawer Set Silky
White Color Screw-on
(Single Railing)

CAT NO.	SIZE
EKTDWDSR2	167 X 500mm



Double Wall Drawer Set
Silky White Color Screw-on
(Double Railing)

CAT NO.	SIZE
EKTDWDDR3	199 X 500mm





MAGIC CORNER & SWING CORNER



- Single Pull out Unit with 6 Baskets on the Door and 6 Baskets Inside.
- SS Basket with Wooden Base
- 100 Kgs. Carrying Capacity
- Heavy Duty Runners
- Right & Left Fix
- Soft Closing Mechanism

Magic Corner

Cat No.	Size
EKMCPO L	1
EKMCPO R	1



- Swing Trays with Wooden Base
- 100 Kgs. Carrying Capacity
- Heavy Duty Runners
- Right & Left Fix
- Soft Closing Mechanism

Swing Corner

Cat No.	Size
EKSCT L	1050-1100mm
EKSCT R	1050-1100mm



METAL DIVIDER



Metal Divider

Cat No.	Carcase Size
EKMD-450	450mm
EKMD-600	600mm
EKMD-900	900mm

PVC CUTLERY




PVC Cutlery

Cat No.	Carcase Size
EKPC-450A	450mm
EKPC-600A	600mm
EKPC-800A	800mm
EKPC-900A	900mm




UNIVERSAL MAGIC CORNER



Satin Universal Magic Corner
Frame: Base Mounted in Cabinet

Load Capacity: Max Load

- Satin Finish with 4 baskets
- Baskets SS with SS Base
- Soft Closing Mechanism
- Easy to Install
- Maximum Use of Space



Glass Universal Magic Corner
Frame: Base Mounted in Cabinet

20kg, 5 Kg Per Basket

- Glass Basket set of 4 Pcs.
- Glass Baskets with SS Base
- Soft Closing Mechanism
- Easy to Install
- Maximum Use of Space

Satin Universal Magic Corner

CAT.NO	TYPE	WIDTH	HEIGHT
ESSMCS	Idea	1050 mm	720 mm
ESSUMCS	Universal	1050 mm	720 mm

Glass Universal Magic Corner

CAT.NO	TYPE	WIDTH	HEIGHT
ESSMCS	Idea	1050 mm	720 mm
ESSUMCS	Universal	1050 mm	720 mm



BOTTLE PULL OUT



Glass BPO



Satin BPO

CAT NO.	TYPE	WIDTH	HEIGHT
EKSSBP0SS1	2 SHELVES	200	720
EKSSBP0SS2	2 SHELVES	250	720
EKSSBP0SS3	2 SHELVES	300	720
EKSSBP0SS4	2 SHELVES	350	720
EKSSBP0SS5	2 SHELVES	400	720
EKSSBP0SS6	3 SHELVES	200	720
EKSSBP0SS7	3 SHELVES	250	720
EKSSBP0SS8	3 SHELVES	300	720
EKSSBP0SS9	3 SHELVES	350	720
EKSSBP0SS10	3 SHELVES	400	720

Features:

Baskets SS with SS Base
20 kgs Carrying Capacity
Soft Closing Mechanism
Easy to Install

Other Features:

2 Shelves: 2 Baskets
3 Shelves: 3 Baskets
Side Mounted Base with set
of Quadro Channel.

CAT NO.	TYPE	WIDTH	HEIGHT
EKSSBP0G1	2 SHELVES	200	720
EKSSBP0G2	2 SHELVES	250	720
EKSSBP0G3	2 SHELVES	300	720
EKSSBP0G4	2 SHELVES	350	720
EKSSBP0G5	2 SHELVES	400	720
EKSSBP0G6	3 SHELVES	200	720
EKSSBP0G7	3 SHELVES	250	720
EKSSBP0G8	3 SHELVES	300	720
EKSSBP0G9	3 SHELVES	350	720
EKSSBP0G10	3 SHELVES	400	720



PANIC BAR

Technical Parameters

Cat No.	Description
9006S	Single Panic Bar
9006D	Double Panic Bar
9006T	Trim Lock



Our Esteemed Clients:



Our Esteemed Clients:





Certificate of Registration

This is to certify that

EVERITE AGENCIES PRIVATE LIMITED
5-CENTRAL MARKET, PUNJABI BAGH WEST, NEW DELHI - 110026, INDIA.

has been assessed by RICL and found to comply with the requirements of

ISO 9001 : 2015

Quality Management Systems

For the following activities:

MANUFACTURE, EXPORT AND SUPPLY OF BRASS, ALUMINIUM, S S HINGES & BRASS, ALUMINIUM, S S TOWER BOLT AND HARDWARE PRODUCTS.

Date of Initial Certification: 19/04/2024
Certification Valid Until: 18/04/2027



Certificate No.: 24RN04FL



CR-MS-2406
This certificate can be verified at www.iafresearch.org
www.uafcertification.org or at www.riclab.com
United Accreditation Foundation INC, 402 North Center Dr Ste 302,
Norfolk, VA 23502, United States of America

Director
Royal Impact Certification Ltd.
425, Tower B, IT Park, Plot No. A-40, Sector-42, Noida-201301, India.
www.riclab.com info@riclab.com
Phone: +91 120 4153003

IAF is member of International Accreditation Forum (IAF). Its membership status can be verified at www.iaf.nu.
This Certificate remains the property of Royal Impact Certification Limited. Must be returned on request or if certificate is withdrawn. Validity of this certificate is subject to successful surveillance audits as per dates given above.



EVERITE AGENCIES PVT. LTD.

📍 5, Central Mkt., Punjabi Bagh (W) New Delhi-110026

✉️ jsvedi@yahoo.com



www.everiteagencies.com



Designed for you by
www.everiteagencies.com